

# Soot cleaning




Clean the lateral smoke channels with a vacuum cleaner 1-2 times a year. Sweep the chimney 1-2 times a year, however according to local legislation.

**Note:** always follow regional and national regulations regarding soot cleaning.

Disconnect any electric elements before cleaning the fireplace. Protect walls and surfaces from soot.


## Tools:

Use flexible Nylon/Perlon brushes, avoid metal brushes as they might scratch the stone.



## Diagrams

### Group 1:



Base vent


Top vent

Bake oven


# Soot cleaning




Group 2 models:



Group 3 models (AALTO, HIISI, KIDE):



HARMAJA/R



# Removing stains from soapstone

Wipe off stone surfaces with a wet cloth and dishwashing liquid/water.

For tougher stains, apply pure dishwashing liquid, let soak then wipe off and rinse well.

Tulikivi Cleaning Agent 4 is an abrasive paste for cleaning tougher stains on stone surfaces, door frames etc. (grease, wax, etc.). Tulikivi Cleaning Agent 4 be found in the Welcome Box or ordered at Tulikivi. User instructions are included. It is recommended to carry a can of Cleaning Agent, this way it is easy to show to the customer how to remove stains.

For very resistant stains, brake and clutch cleaner spray (e.g. Würth) or acetone can be used.  
Note: never use on warm stones or in the presence of fire.

Wax: heat fireplace, evaporate wax using hot air gun and paper towels.

Small scratches: use abrasive sponge or sand paper (grain 500) or diamond pad. Always polish the entire stone, then wash off the dust.

Stains on grooved stones (HSI, Rigata): brush carefully with a soft brass brush.



# Doors

## Paint for cast iron doors

Tulikivi item Codes:

74902,0 Dovre spray paint for doors, anthracite

74912,0 Dovre spray paint for doors, light grey



Manufacturer:

[www.paulypaint.be](http://www.paulypaint.be)

PAULY PAINT NV  
HAVENLAAN 8  
INDUSTRIEPARK TESSENDERLO-PAAL  
BE-3980 TESSENDERLO

Pauly Paint colour numbers:

Light grey 9321

Antracite 9301



## Soot removal from door glasses:

Ash is a free, ecological and easily available cleaning agent.

Door glasses can be cleaned by rubbing them with a damp paper towel that has been dipped in ashes. Rub gently to remove soot from the glass, then wipe clean with another damp paper towel.

Note: never clean door glasses while they are hot.

