


Fill Course. Helps lift hardware off the ground and establishes transition from other materials to core.



FIRESPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS





Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com

Hybrid Construction Docs 01-03

Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:



FIRE SPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS







Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com

Hybrid Construction Docs 04-05

Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:



FIRE SPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS


Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com

Hybrid Construction Docs 06-07




Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:



Notch or drill brick for damper shaft.



FIRESPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS




Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com

Hybrid Construction Docs 08


Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:



Option for Insulative Firebrick (IFB) •



FIRESPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS

Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com




Hybrid Construction Docs 09

Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:

• Castable Refractory, eg. HWI KS4V+



Dimensions assume 3/4" form material.



FIRESPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS

Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com




Hybrid Construction Docs Lintel Slope

Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale:

• Castable Refractory, eg. HWI KS4V+



Dimensions assume $\frac{3}{4}"$ form material.



FIRESPEAKING
MASONRY HEATERS • WOOD-FIRED OVENS

Eugene, OR - (541) 632-3028 - www.firespeaking.com - info@firespeaking.com

Hybrid Construction Docs Slope

Last Modified: November 15, 2025

Drawn by: Max Edleson

Scale: